



## St James' Church Rowledge

What is God asking of us, at this time?

Jack Boyns Archangel Architects

5th November 2025

## Meet the Archangels



**Nigel Walter**Director



**Dirk Visagie**Director

archangel



**Apostolos Petrakis** Associate



Oksana Lavreniuk-Tsyrik Architectural Assistant




**David Ogilvie** Architect



**Jack Boyns** Architect

**Alexandros Michalitsianos** Specialist Conservation Technologist



### **Questions:**

How's the Fit?

## Why Bother?

'We shape our buildings, and afterwards our buildings shape us.' Winston Churchill









# Principles Living Heritage


'[Historic England] believes that this country's historic places of worship should retain their role as **living buildings** at the heart of their communities.'


Historic England, New Work (2012)

'Cultural heritage is not something apart to be protected, but is a **living and dynamic** strand of the way we live, work and develop' ICOMOS-UK, Cultural Heritage Manifesto (2015)

'In a higher world it is otherwise, but here below to live is to change, and to be perfect is to have changed often.'

John Henry Newman (1845)





Ecclesiastical Jurisdiction and Care of Churches Measure 2018

"CARE OF CHURCHES ETC. General duty:

## 35 Duty to have regard to church's purpose

A person carrying out functions of care and conservation under this Measure [...] must have due regard to the role of a church as a local centre of worship and mission."



#### Contents

Introduction: Where to Begin

#### Part I Principles

- 1 Why Bother? Sustainability, Theology and Mission
- 2 General Principles
- 3 Developing a Plan

#### Part 2 Technologies

4 Specific Technologies

#### Part 3 Processes

- 5 Working with Experts
- 6 Getting Permission

Conclusion


# MAKING YOUR CHURCHUR CHURCHUR SUSTAINABLE

A practical guide to getting to net zero NIGEL WALTER



## 1. Principles

Climate Crisis - Responsibility and Opportunity



## Net Zero Carbon Target: 2030

- February 2020:
   Church of England General Synod adopts net zero carbon target of...
- NB: Carbon Reduction v Energy Saving

#### Fifth Mark of Mission:

 'to strive to safeguard the integrity of creation and sustain and renew the life of the earth'



## 1. Principles

## The Practical Path to Net Zero Carbon



- A. Where do we start? Simple actions, easy, fast payback. E.g. basic maintenance, LED lamps, and switching to renewable sources of energy.
- B. Where do we go next? For churches with medium energy use which are used more than once a week – 50%? More expensive, more complex. E.g. insulation in existing roof voids, draught lobbies, creating separately heatable smaller spaces.
- C. Getting to zero For busy churches with high energy use. These are bigger and more complex projects, with longer payback and a greater carbon cost. E.g. new LED lighting systems, photovoltaic panels.
- **D.** "Only if...." Generally done with other work. E.g. adding insulation during a reroofing project, changing heat source, electric vehicle charging points.
- E. By exception Things NOT to do, because of the risk of irreversible harm to historic fabric, etc.

## A practical path to "net zero carbon" for our chure

These recommendations aim to help churches reduce their energy use and associated carbon emissions. The based on the findings of our church energy audit programme and input from of a range of professionals in the

NOTE: Many of the suggestions below require faculty; please seek input early on. If the church interior is of h artistic, architectural or artistic interest, seek professional & DAC advice first, before making changes; stabilising arusuc, architectural or arusuc interest, seek professional & DAC advice first, delote making changes, stadius environment for these interiors is important to minimise cycles of treatment, with their inherent carbon cost.

These are actions that nearly all churches can benefit from, even low occupancy churches used only on a Sunday. They are relatively easy, with relatively fast pay b They are a good place for churches to start, when trying to move towards 'net zer

- Al. Maintain the roof and gutters, to prevent damp entering the building and warm air escaping. A2. Fix any broken window panes\* and make sure opening windows shut tightly, to reduce heat loss.
- Insulate around heating pipes to direct heat where you want it; this may allow other sources of heat to be If draughts from doors are problematic, draught-proof the gaps\* or put up a door-curtain.
- Heating and lighting:
- Consider using rugs/floor-coverings (with breathable backings) and cushions on/around the pews/chairs.
- A6. Switch to 100% renewable electricity and "green" gas, for example through Parish Buying's energy basket. Match heating settings better to usage, so you only run the heating when necessary\*. If you have water-filled radiators, try turning-off the heating 15 minutes before the service ends; for most If you have radiators, add a glycol based "anti-freeze" to your radiator system and review your frost setting.
- A10. Replace lightbulbs with LEDs, where simple replacement is possible.

- A12. If you have internet connection, install a HIVE- or NEST-type heating controller, to better control heating. A13. If your current appliances fail, then replace with A+++ appliances.
- A14. Complete the Energy Footprint Tool each year, as part of your Parish Return, & communicate the results. A15. Create an Energy Champion who monitors bills and encourages people to turn things off when not needed. A16. Write an energy efficiency procurement policy; commit to renewable electricity & A+++ rated appliances. A10. VYFILE All energy efficiency procurement policy, commit to renewable electricity & ATTT rated appliance and the church heating.
- A18. For most low usage "Sunday" churches, once they have taken steps like these, their remaining non-For most low usage "Sungay courcnes, once they have taken steps like these, their remaining non-renewable energy use will be very small. For the majority, all they need to do now to be "net zero" is offset the small remaining amount of energy through Climate Stewards or other reputable schemes.
- B. Where

Also, think about your church grounds. Is there an area where you could let vegetation or a tree grow? These are actions with a reasonably fast pay back for a church with medium energy usage, used a few times a week. Perhaps half of churches should consider them.

Most actions cost more than the ones above, and/or require more time and thought. Some require some specialist advice and/or installers. They are often good next steps for those churches with the time and resources to move on further towards 'net zero'.

- If you have an uninsulated, easy-to-access roof void, consult with your QI about insulating the loft\* If you have problematic draughts from your door, and a door curtain wouldn't work, consult with your QI Consider creating one or more smaller (separately heatable) spaces for smaller events.
- Heating and lighting:

- Consider treating one or more smaller (separately nearable) spaces for smaller events.


  Consider fabric wall-hangings or panels, with an air gap behind, as a barrier between people and cold walls.
- B5. Learn how your building heats/cools and the link to comfort, by using data logger (

www.churchofengland.org/resources/ churchcare/net-zero-carbon-church/ practical-path-net-zero-carbon-churches

# Technologies Two Greatest Commandments



# Making Your Church Sustainable Comfort



# 2. Technologies The Basics





#### 'Whole Life Balance'

- People, building & churchyard as a system
- Lifetime costs, embodied carbon

#### **Maintenance:**

Damp – gutters and drains

#### **Energy Supply:**

100% Renewable

#### **Use Less**

- Smaller spaces?
- Heat the people



#### **Clever Technologies**


Solar panels, Heat pumps, etc...

# What does the Church know about Wellbeing?

£55bn each year! or £1.4m per church...

www.houseofgood.nationalchurchestrust.org

## 'the smell of God'







# THE HOUSE OF GOOD UPDATE 2021

The economic and social value of church buildings to the UK





What can the Church learn...from **Advertising**?

## Attention

Interest

Vesire


Action







# What can the Church learn...from **Advertising**?




### Medieval









## **Example:**



## **Example:**








## **Church Anatomy**

## Analysis


## Division



## **Church Anatomy**

## Analysis

## Division



St Mary's Houghton









St Nicholas' Great Wilbraham






St Paul's Cambridge







St Mary's Ely








### All Saints Newmarket





Feasibility Study

♦ -82 Tamp up 1:13 → -1.043



t: 01223 474817

©archangel ltd reg. no. (england) 3938615



View 2 - Car Park

inversion partnership

Buffer-venerals and increase assumptingfundant are installed in t buffers to manage lates patiently learnings for any bufferings. Manuscher versiteien dras keven inclusivel in i de spiller as ihr adultiment cost offthe in handline past and ducher's should expect to be offset by reductions in the size of ground among paint and extent of the

believes to manage level politically becauses not see buildings.

Intelligence meets the Chartest of England net zono districtions for beat seeked and the chartest. Addressly the other of adenticity byte, in the detailed of welfared to the chartest of adenticity byte, in the detailed of adenticity byte, in the chartest of the control considerably highest than got, the control consignations control and control bettle to the theory costs for discribing the best do to been assessment and on the causes bettle but it would be assessmentable to expect stimular automates. It should be revealed that these energy roots belongs will compressessing on SCEAppuny and the desail of the desail of the school control to the control of the Chartest of the other states of the control of the Chartest of the chartest of the chartest of the chartest of the other chart

This option inscales for explanament of the fire sonventors in the shunds to explaname resides this are size to cope and own system size. Introduction, This behaviorately consult housing-delivery at the expect to and real-servi-

Marphai Brotpit	Energy Soving	Cappor grand
EVENUE		- uncounted

ansoon. Marginal Budget	Energy Serving	Carbon Strong 39%
K28'000	6900	

Caround Source Heast Planes. Mechanical Jambieton. this callful case the description of the source best pump systems, withough the source best pump systems, withough the source best pump systems.

It is necessarished that photocolisis passels are menulished a man bust white project host, periodicity at planning approval stage. Purcel smap There Date abstrated and set out-autocolosis contaminated to other not passel. Prestillation lebban autociti, classicate dict. With a sciential smackle of 16 to 20 App. (depending on the green) exhection).

To 200Ap (depending on the panel adequary).

A copied budger of ESF, (50 shoulded adequary).

A copied budger of ESF, (50 shoulded adequary) are proving panel arrays regulations assumed by the elements sociation or rest busing regulations assumed by the elements 2000/00/00 at does to regulate the sociation of t

The inclusion of a bloken in the development glass will impose a agencial energy support, which cannot be seasoned in 2028 and designs are developed. Yerisaton arrangements have been

Characterion facing on diver an excavor cooking edistates. In


© Meny's Church, Houghton - Recordering forward Patenting Construction Continues to February 2001 (See A) norm Park seminis LLP have covered to emines' Professions: "Oracle other Casi Seine sale in East" realises lash specurablem; for the covered extrateion, of St. side pix plates. The French of Casi Schools is bioactive; the pix plates. The French of Casi Schools is bioactive; the delication of St. sides. Discontributions and estimation trained operates funding information.

London desirated prepared to reviewed Machinings, LCE


- Discorp Dir Park, Mark Spinor (Mark Fox Mr., doving a charge Dir Park, Mr. Spinor (Mark Fox Mr., doving Mr. Spinor (Mr. Spinor (Mr

View 5 - LGF seating area to main entrance







## Feasibility Study




Furniture Variation 01 - Quadrant



Furniture Variation 02 - Collegiate





archangel

3 Doctor's Close, Impington, Cambridge CR24 9h10
to 10229 474817

©archangel ltd reg. no. (england) 39386

Drawings must not be scaled; work only tigured dimensions.
 Drawings must be read in conjunction wit all other relevant drawings, schedules and specifications for this project.
 All dimensions to be checked on site before and during construction by the Contractor.

before and during construction by the Contractor.

4. Shop drawings of manufactured litems must be approved by the Architect before work is put in hand.

5. The Architect must be notified of any discrepancies immediately.

6. If in drubt pask!

revisions | drawn date |
D description | drawn date |
O1 Feasibility Study 02 JMB | 1209/202

changes

drawing status

FEASIBILITY


ETHE ABOVE DIMENSIONS DO NOT MEASURE FOUR CENTIMETERS BY ONE CENTIMETERS (A on x fon) EDACTIX, THIS DRAWING WILLHAVE AFFECTING ALLIABLE D SCALES.

St Andrew Mingle Lane Stapleford
St Andrew Mingle Lane Stapleford
Sabbleford
Cambridge CB22 5SY

0606 161

#### **Fees**

#### Terms and Conditions





#### Preparation & Brief (Stage 1)

With an existing building a detailed measured survey will be needed before any design can be developed in detail. One off fee, typically varying from £500 - £5,000, depending on complexity.

#### Design Stages (Stages 2-4)

Our fee for the main body of the works is charged

**Church Projects - Typical Fees** Construction New Cost (excl VAT) Build ing £50,000 8.3% 10.7% £100,000 6.8% £400,000 5.6% £1.000.000 5.2% £2,500,000 + 4.8% 7.5%

as a percentage of construction cost (excluding VAT). The Percentage Fee decreases as costs increase to reflect a greater economy of scale. The table shows typical percentages for various levels of construction cost, for both new build and work to (nonlisted) existing

#### buildings.

Where a client organises a portion of the works themselves (eg decorating), the project cost on which the fee is based will include an allowance for these items.

Once the Technical Design is complete and the project has been tendered, the fee is calculated on the accepted tender figure, or if none is accepted then on the lowest tender.

#### A. ONE OFF FEE B. PERCENTAGE FEE - STAGES 2-4 C. HOURLY FEE - STAGES How **Projects Typically** PREPAR-CONCEPT DEVELOPED CONSTRUCTION APPOINT-HANDOVER **TECHNICAL DESIGN** ATION DESIGN **Progress:** MENT DESIGN

#### Percentage Fee (Stages 2-4)

As the project progresses through Stages 2-4 the percentage fee is released stage by stage, as follows:

stages 2&3	Concept & Developed Design including VR walk-through, submitting of planning application or agreeing permitted development.	50%
stage 4	Technical Design - liaison with Structural Engineer and submission of Building Regulations application. Production of working drawings, Schedule of Work etc sufficient for Contractor's start on site; co- ordination of kitchen design etc.	50%

#### **How It Works**

Invoices are issued monthly, reflecting progress to date against the stages above. Each interim payment is based on the most accurate estimate of the construction costs available at the time of billing (excluding VAT).

#### VAT, Expenses etc

Points to note:

- The practice is registered for VAT, so VAT will be payable on both fees and expenses.
- Payment terms are 15 days from date of invoice.
- Expenses are charged as follows:

Mileage - car - per mile	45p
Mileage - bicycle - per mile	20p
Copying / printing - A4 B&W	15p
Copying / printing - A3 B&W	30p
Copying / printing - A1 B&W	£3.00
Copying / printing - A4 Colour	30p
Copying / printing - A3 Colour	60p
Laminating of A3 drawings for site work	£1.75
Postage, other travel expenses, purchase of maps & contract documents etc, are	

#### **Additional Services**

We also offer the following additional services, which are charged on an hourly basis at the rates shown:

- Feasibility (Stage 1) if you are unclear how or whether to proceed with your project we can give some more detailed initial advice / sketches.
- Negotiation with Planners should you wish us to represent you in pre-application planning meetings
- Project Management a service Archangel can also provide tailored to your requirements
- Liaison with neighbours on your behalf
- Sustainability modelling should you wish us to assess the carbon footprint for different forms of construction.

#### **Services We Do Not Provide**

You also need to allow for services from others, including some or all of the following; specific costs will vary with the size & complexity of the project:

- 1. CDM Co-ordinator (Health & Safety)
- 2. Quantity Surveyor (eg budget costs, full quantities)
- 3. Planning Fee to Local Authority
- 4. Structural Engineer (calculation of beams etc)
- 5. Services Engineer (eg heating design, electrics...)
- 6. Building Regulations Fee
- 7. Party Wall Surveyor (if relevant) £0-£1,000; costs vary depending on the project, your neighbours etc.

#### Construction & Handover (Stages 5-6)

You can choose how much involvement you want from us during these stages, which are charged on a time basis; this allows the time expended and thus the cost to be tailored to your required level of involvement.

Our normal service for this phase would include the appointment of the Contractor, administration of a Building Contract, inspecting the works as they progress on site (typically a weekly site visit, depending on the stage of the works), certifying payments to the contractor up to Practical Completion, snagging of the project, and after the end of the rectification period (usually 6 months) making a final inspection and agreeing the final account.

Assuming the contract proceeds in a reasonably straightforward manner then for budgeting purposes allow 40% of the fee for Stages 5-6.

#### **Hourly Fees**

For stages charged on an hourly basis, our time is charged at the following hourly rates. These apply to Stages 5-6 and to any Additional Services.

Director / Consultant	£120
Associate / Senior Architect	£95
Architect / Conserv'n Specialist	280
Architectural Assistant	£63

Please note these hourly rates are subject to review in the April of each year.

#### **Being Organised**

charged at cost.

It is essential that different people do not give us conflicting instructions; we therefore will only act on an instruction from the incumbent/minister, or a named person designated by the church leadership. Once given, instructions are binding on the church; so please be clear about who is instructing what.

#### Our Agreement

This sheet provides the basic information on how fees are structured, and other charges. Before we proceed with any works we are required to draw up a formal appointment agreement, which would be on the basis of the latest version of the RIBA Concise Agreement 2010 for the appointment of an Architect, except for the largest projects, which would be under the RIBA Standard Agreement 2010.

enq-t&c-church-2504





## St James' Church Rowledge

What is God asking of us, at this time?

Jack Boyns
Archangel Architects
5th November 2025